EOG Resources, Inc. P.O. 1910 Vernal, UT 84078

August 29, 2005

Utah Division of Oil, Gas, & Mining 1594 West North Temple, Suite 1210 P.O. Box 145801 Salt Lake City, UT 84114-5801

> RE: APPLICATION FOR PERMIT TO DRILL NORTH DUCK CREEK 265-26 SW/NW, SEC. 26, T8S, R21E UINTAH COUNTY, UTAH LEASE NO.: U-9613 UTE INDIAN TRIBAL LANDS

Enclosed please find a copy of the Application for Permit to Drill and associated attachments for the referenced well.

Please address further communication regarding this matter (including approval) to:

Ed Trotter
P.O. Box 1910
Vernal, UT 84078
Phone: (435)789-4120

Fax: (435)789-1420


Sincerely

Ed Trotter

Agent

EOG Resources, Inc.

Attachments



UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0137 Expires March 31, 2007

DIV OF OIL, GAS & MINING

5. Lease Serial No.

U-9613

6. If Indian, Allottee or Tribe Name


APPLICATION FOR PERM	AIT TO DRILL OR REENTH	ER U	JTE INDIA	N TRIBE
1a. Type of Work: X DRILL	7. If	Unit or CA Agree	ement, Name and No.	
1b. Type of Well: Oil Well X Gas Well Oth	ner Single Zone X Multiple Zone	T .	ease Name and W	ell No. K CREEK 265-26
2. Name of Operator EOG RESOURCES, INC.		9. A	PI Well No. 43-047-	37145
3a. Address P.O. BOX 1815 VERNAL, UT 84078		ld and Pool, or Exp	ploratory	
4. Location of Well (Report location clearly and in accorded At surface 2035' FNL, 680' FWL 4 At proposed prod. Zone	11. Sec		k. and Survey or Area , R21E,	
14. Distance in miles and direction from nearest town or pos 10.1 MILES SOUTHEAST OF OU	RAY, UTAH	UI	nty or Parish NTAH	13. State UTAH
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. Unit line, if any)	16. No. of Acres in lease 1920	17. Spacing 40	Unit dedicated to	this well
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. See Topo Map C	19. Proposed Depth 9125		A Bond No. on fil -2308	e
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 4797.4 FEET GRADED GROUND	22. Approximate date work will start* UPON APPROVAL		23. Esti mated 45 DA	
	24. Attachments			
Attachments The following, completed in accordance with the requir 1. Well plat certified by a registered surveyor. 2. A Drilling Plan. 3. A Surface Use Plan (if the location is on National Fo	4. Bond to cover the (see Item 20 abovest System Lands, the 5. Operator, certificate	operations unle		existing bond on file
SUPO shall be filed with the appropriate Forest Serv	ice Office). 6. Such other site spe by the authoriz	cific information	n and/or plans as n	nay be required
25. Signature	Name (Printed/Typed) Ed Trotter			Date August 29, 2005
Title Agent				
Approved by Signature)	Name (Printed/Typed) BRADLEY G. HIL ENVIRONMENTAL SCIENTIS			
Title 09-19-09	Office		ШШ	SEP 4 2005

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to

conduct operations thereon.

Conditions of Approval, if any, are attached.



NORTH DUCK CREEK 265-26 SW/NW, SEC. 26, T8S, R21E, S.L.B.&M. UINTAH COUNTY, UTAH

1. & 2. ESTIMATED TOPS & ANTICIPATED OIL, GAS, & WATER ZONES:

FORMATION	DEPTH (KB)
Green River	2,361,
Wasatch	5,713'
Chapita Wells	6,369'
Buck Canyon	7,047
North Horn	7,686'
Island	8,392'
KMV Price River	9,080'

EST. TD: 9,125'

Anticipated BHP 4000 PSI

3. PRESSURE CONTROL EQUIPMENT:

Intermediate Hole – 3000 PSIG Production Hole – 3000 PSIG BOP Schematic Diagrams attached.

4. CASING PROGRAM:

TIOT DOTE							RATING FACTOR
HOLE SIZ		LENGTH	<u>SIZE</u>	<u>WEIGHT</u>	<u>GRADE</u>	THREAD	COLLAPSE BURST TENSILE
17 ½"	0'-250'	250'	13 ¾"	48.0#	H-40	STC	770 PSI 1730 PSI 322,000#
12 1/4"	250' - 2300'+/- KB	2300° +/-	9 %"	36.0 #	J-55	ST&C	2020 PSI 3520 PSI 394,000#
7 7/8"	2300' – TD +/-KB	9,125' +/-	4 1/2"	11.6 #	N-80	LT&C	6350 PSI 7780 PSI 223,000#

Note: The 12 $\frac{1}{4}$ " Intermediate hole will be drilled to a total depth of 200' below the base of the Green River lost circulation zone and 9 $\frac{1}{8}$ " casing will be set to that depth. Actual setting depth of the 9 $\frac{1}{8}$ " casing may be less than 2300' in this well.

All casing will be new or inspected.

5. Float Equipment:

Surface Hole Procedure (0-250' Below GL):

Guide Shoe

Insert Baffle

Wooden wiper plug

Centralizers: 1 - 5 - 10' above shoe, every collar for next 3 joints (4 total).

Intermediate Hole Procedure (250'-±2300')

Guide Shoe

Insert Float Collar (PDC drillable)

Cents.: 1-5' above shoe, top of jts. #2 and #3 then every 5th joint to surface. (15 total)

NORTH DUCK CREEK 265-26 SW/NW, SEC. 26, T8S, R21E, S.L.B.&M. UINTAH COUNTY, UTAH

Float Equipment (Continued):

Production Hole Procedure (± 2300'-TD'):

FS, 1 joint of casing, FC, and balance of casing to surface. Run 11.6#, N-80 burst rating or equivalent marker collars or short casing joints at \pm 9,080' (Top of Price River) and \pm 5,300' (400' above the Wasatch) (alter depth if needed to avoid placing across any potentially- productive intervals). Centralize 5' above shoe on joint #1, top of joint #2, then every 2nd joint to 400' above Price River top (\pm 30 total). Thread lock FS, top and bottom of FC, and top of 2^{nd} joint.

6. MUD PROGRAM

Surface Hole Procedure (0-250' below GL):

Air - Air Water Mist

Intermediate Hole Procedure (250'-± 2300'):

Water (circulate through reserve pit) with Gel/LCM sweeps.

Production Hole Procedure (± 2300'-TD):

±2300-7500' Use water (circulated through reserve pit) with PHPA polymer sweeps on a regular basis. Adjust frequency of sweeps based on cuttings quality and hole conditions. Gel/LCM sweeps can also be used for additional cleaning and for reducing seepage, but should not be "substituted" for the PHPA sweeps.

While on water, spot either salt water or pre-mixed weighted mud as required to prevent flow during trips after gas influxes have been encountered. Watch cuttings size, shape and quantity to determine if increase in mud weight is required. <u>Increased mud weight is often the key to shale stability in this area</u>. Treat for any CO₂ contamination with Lime and Gyp.

7500'- TD' Close mud system in. "Mud up" with Hi-Yield bentonite for primary viscosity and PHPA polymer for supplemental viscosity and clay encapsulation/inhibition. Utilize white Starch or PAC for filtration control. Treat with bactericide if required. Maintain pH in 9.0-10.0 range.

Expect increasing gas influxes requiring heavier mud weights as drilling progresses. Adjust mud weight as needed. Use deflocculants/thinners if required to maintain good flow properties.

Run LCM sweeps periodically to seal-off loss zones. Adjust sweep frequency based on observed losses. Maintain water loss 15 cc's or less. Treat CO₂ contamination with Lime and/or Gypsum.

NORTH DUCK CREEK 265-26 SW/NW, SEC. 26, T8S, R21E, S.L.B.&M. UINTAH COUNTY, UTAH

7. VARIANCE REQUESTS:

- A. EOG Resources, Inc. requests a variance to regulations requiring a straight run blooie line (Where possible, a straight run blooie line will be used).
- B. EOG Resources, Inc. requests a variance to regulations requiring an automatic igniter or continuous pilot light on the blooie line. (Not required on aerated water system).
- C. EOG Resources, Inc. requests a variance to regulations requiring the blooie line to be 100' in length. To reduce location excavation, the blooie line will be 75' in length.

8. EVALUATION PROGRAM:

Logs: No Open Hole Logs Cased Hole Logs.

9. CEMENT PROGRAM:

Surface Hole Procedure (0-250' Below GL)

Lead: 300 sks (100% excess volume) Class 'G' cement with 2% S1 (CaCl2) & 0.25 pps D29 (cellophane flakes), mixed at 15.8 ppg, 1.16 ft³./sk., 4.95 gps water.

Top Out: Top out with Class 'G' cement with 2% S1 (CaCl2) in mix water, 15.8 ppg, 1.16 ft³./sk., 4.95 gps via 1" tubing set at 25' if needed.

Intermediate Hole Procedure (250'-± 2300'):

Option #1

Lead: 85 sks: (50% excess volume) Class 'G' lead cement (coverage from 1700-1000') with 5% D44 (Salt), 12% D20 (Bentonite), 1% D79% (Extender), 0.25% D112 (Fluid Loss Additive), 0.2% D46 (Anti-Foamer) & 0.25 pps D29 (Cellophane flakes) mixed at 11.0 ppg, 3.91 ft³/sk., 24.5 gps water.

Tail: 290 sks: (50% excess volume) Class 'G' cement (coverage from 2700-1700') with 10% D53 (Gypsum), 2% S1 (CaCl2) & 0.25 pps D29 (Cellophane flakes) mixed at 14.2 ppg, 1.61 ft³/sk., 7.9 gps water.

Option 2:

Lead: 210 sks: (60% excess volume) Class 'G' lead cement (coverage from 2300-1800') with 2% BWOC (Calcium Chloride), 1/4#/sk Flocele mixed at 15.6 ppg, 1.18 ft³/sk., 5.2 gps water.

Tail: 720 sks: (60% excess volume) Class 'G' cement (coverage from 1800'-Surface) with 2% BWOC (Calcium Chloride), ½#/sk Flocele mixed at 15.6 ppg, 1.18 ft³/sk., 5.2 gps water.

NORTH DUCK CREEK 265-26 SW/NW, SEC. 26, T8S, R21E, S.L.B.&M. UINTAH COUNTY, UTAH

CEMENT PROGRAM (Continued):

Production Hole Procedure (± 2300' to TD)

Lead: 110 sks 35:65 Poz G w/ 4% D20 (Bentonite), 2% D174 (Extender), 0.2% D65 (Dispersant), 0.2% D46 (Antifoam), 0.75% D112 (Fluid Loss Additive), 0.15% D13 (Retarder), 0.25 pps D29 (cello flakes), mixed at 13.0 ppg, 1.73 ft³/sk., 9.06 gps water

Tail: 190 sks: 50:50 Poz G w/ 2% D20 (Bentonite), 0.1% D46 (Antifoam), 0.15% D13 (Retarder), 0.2% D167 (Fluid Loss Additive), 0.2% D65 (Dispersant), mixed at 14.1 ppg, 1.28 ft³/sk., 5.9 gps water.

10. ABNORMAL CONDITIONS:

Intermediate Hole (250'-± 2300'):

Lost circulation

Production Hole (± 2300'-TD):

Sloughing shales and key seat development are possible in the Wasatch Formation.

11. STANDARD REQUIRED EQUIPMENT:

- A. Choke Manifold
- B. Kelly Cock
- C. Stabbing Valve
- D. Visual Mud Monitoring

12. HAZARDOUS CHEMICALS:

No chemicals subject to reporting under SARA title III in an amount equal to or greater than 10,000 pounds wil! be used, produced, stored, transported, or disposed of annually in association with the drilling of this well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling of this well.


(Attachment: BOP Schematic Diagram)

3000 PSIG DIAGRAM

ANNULAR PREVENTOR AND BOTH RAMS ARE 3000 PSIG RATED. CASING FLANGE IS 11" 3000 PSIG RATED. BOPE 11" 3000 PSIG

TESTING PROCEDURE:

- 1. BOPE's will be tested with a professional tester to conform to Onshore Order #2 with retest every 14 days.
- 2. Blind & Pipe rams will be tested to rated working pressure, 3000 psig.
- 3. Annular preventor will be tested to 50% of working pressure, 1500 psig.
- 4. Casing will be tested to 0.22 psi/ft. or 1500 psig. Not to exceed 70% of burst strength, whichever is greater.
- blind & pipe rams.
- requirements for 3000 psig BOPE specifications.



ROTATING HEAD

FLOW LINE

ANNULAR

CONDITIONS OF APPROVAL FOR THE SURFACE USE PROGRAM OF THE APPLICATION FOR PERMIT TO DRILL

Company/Operator:

EOG Resources, Inc.

Well Name & Number: North Duck Creek 265-26

Lease Number:

U-9613

Location:

2035' FNL & 680' FWL, SW/NW,

Sec. 26, T8S, R21E, S.L.B.&M.,

Uintah County, Utah

Surface Ownership:

Ute Indian Tribe

NOTIFICATION REQUIREMENTS

Location Construction - forty-eight (48) hours prior to construction

of location and access roads.

Location Completion - prior to moving on the drilling rig.

Spud Notice:

- at least twenty-four (24) hours prior to

spudding the well.

Casing String and

Cementing

- twenty-four (24) hours prior to running

casing and cementing all casing strings.

BOP and related

Equipment Tests

- twenty-four (24) hours prior to running

casing and tests.

First Production

Notice

- within five (5) business days after new

Well begins or production resumes after Well has been off production for more

than ninety (90) days.

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

THIRTEEN POINT SURFACE USE PROGRAM

1. EXISTING ROADS

- A. See attached Wellsite Plats showing directional reference stakes on location, and attached TOPO Map "B" showing access to location from existing roads.
- B. The proposed well site is located approximately 10.1 miles southeast of Ouray, Utah See attached TOPO Map "A".
- C. Refer to attached Topographic Map "A" showing labeled access route to location.
- D. Existing roads will be maintained and repaired as necessary. No off lease Right-of-Way will be required.

2. PLANNED ACCESS ROAD

- A. The access road will be approximately 0.1 miles in length. See attached TOPO Map "B".
- B. The access road has a 30 foot ROW w/ 18 foot running surface.
- C. Maximum grade on access road will be 8%.
- D. No turnouts will be required.
- E. Road drainage crossings shall be of the typical dry creek drainage crossing type.
- F. No culverts, bridges, or major cuts and fills will be required.
- G. The access road will be dirt surface.
- H. No gates, cattleguards, or fences will be required or encountered.

New or reconstructed roads will be centerlined - flagged at time of location staking.

All travel will be confined to existing access road Right-of-Way.

Access roads and surface disturbing activities will conform to standards outlined in the Bureau of Land Management and Forest Service Publication: Surface Operating Standards For Oil & Gas Exploration and Development, (1989).

The road shall be upgraded to meet the standards of the anticipated traffic flow and all-weather road requirements. Upgrading shall include ditching, drainage, graveling, crowning, and capping the roadbed as necessary to provide a well-constructed safe road. Prior to upgrading, the road shall be cleared of any snow cover and allowed to dry completely. Traveling off the 30 foot Right-of-Way will not be allowed.

Road drainage crossings shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossings nor shall the drainages be blocked by the roadbed. Erosion of

drainage ditches by run off water shall be prevented by diverting water off at frequent intervals by means of cutouts. Upgrading shall not be allowed during muddy conditions. Should mud holes develop, they shall be filled in and detours around them avoided.

As operator, EOG Resources, Inc. shall be responsible for all maintenance on cattleguards, or gates associated with this oil and/or gas operation.

3. <u>LOCATION OF EXISTING WELLS WITHIN A ONE MILE RADIUS OF PROPOSED WELL LOCATION</u>

- A. Abandoned wells 5*
- B. Temporarily abandoned wells 1*
- C. Producing wells 13*
- D. Shut in wells -2*

(*See attached TOPO map "C" for location)

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

A. ON WELL PAD

- 1. Production facilities will be set on location if the well is successfully completed for production. Facilities will consist of well head valves, separator, dehy, 210 Bbl condensate tank, meter house, and attached piping.
- 2. Gas gathering lines A 4" gathering line will be buried from dehy to the edge of the location.

B. OFF WELL PAD

- 1. Proposed location of attendant off pad flowlines shall be flagged prior to archaeological clearance.
- 2. A 4" OD steel above ground natural gas pipeline will be laid approximately 930' from proposed location to a point in the SW/NW of Section 26, T8S, R21E, where it will tie into Questar Pipeline Co.'s existing line. Proposed pipeline crosses BIA administered lands, thus a Right-of-Way grant will be required.
- 3. Proposed pipeline will be a 4" OD steel, welded line laid on the surface.
- 4. Protective measures and devices for livestock and wildlife will be taken and/or installed where required.

If storage facilities/tank batteries are constructed on this lease, the facility/battery or the well pad shall be surrounded by a containment dike of sufficient capacity to contain, at a minimum, the entire contents of the

largest tank within the facility/battery, unless more stringent protective requirements are deemed necessary by the authorized officer.

The production facilities will be placed on the West side of the location.

All permanent (on site for six months or longer) structures constructed or installed (including pumping units) will be painted a flat, non-reflective, earthtone color to match one of the standard environmental colors, as determined by the Rocky Mountain Five State Interagency Committee. All facilities required will be painted within 6 months of installation. Facilities required to comply with O.S.H.A. (Occupational Safety and Health Act) will be excluded.

The required paint color is Carlsbad Canyon.

If at any time the facilities located on public land and authorized by the terms of the lease are no longer included in the lease (due to a construction in the unit or other lease or unit boundary change), the BIA will process a change in authorization to the appropriate rental or other financial obligation as determined by the authorized officer.

5. LOCATION & TYPE OF WATER SUPPLY

- A. Water supply will be from the Ouray Brine Plant at Ouray, Utah, and/or Target Trucking Inc.'s water source in the SW/SW, Sec. 35, T9S, R22E, Uintah County, Utah (State Water Right #49-1501). Produced water from the Chapita Wells and Stagecoach Units will also be used.
- B. Water will be hauled by a licensed trucking company.
- C. No water well will be drilled on lease.

6. SOURCE OF CONSTRUCTION MATERIAL

- A. All construction material for this location and access road will be of native borrow and soil accumulated during the construction of the location.
- B. All construction material will come from Tribal Land.
- C. No mineral materials will be required.

7. METHODS OF HANDLING WASTE DISPOSAL

A. METHODS AND LOCATION

- 1. Cuttings will be confined in the reserve pit.
- 2. A portable toilet will be provided for human waste during the drilling and completion of the well. Disposal will be at the Vernal sewage disposal plant.
- 3. Burning will not be allowed. Trash and other waste material will be contained in a wire mesh cage and disposed of at the Uintah County landfill.

- 4. Produced wastewater will be confined to a lined pit or storage tank for a period not to exceed 90 days after initial production. After the 90 day period, the produced water will be contained in a tank on location and then disposed of at one of the following three locations: Natural Buttes Unit 21-20B SWD, Ace Disposal, or EOG Resources, Inc. drilling operations (Chapita Wells Unit, Natural Buttes Unit & Stagecoach Unit).
- 5. All chemicals will be disposed of at an authorized disposal site. Drip pans and absorbent pads will be used on the drilling rig to avoid leakage of oil to the pit.
- B. Water from drilling fluids and recovered during testing operations will be disposed of by either evaporating in the reserve pit or be removed and disposed of at an authorized disposal site. Introduction of well bore hydrocarbons to the reserve pit will be avoided by flaring them off in the flare pit at the time of recovery.

On BIA administered land:

The reserve pit will be constructed so as not to leak, break, or allow discharge. If the reserve pit requires padding prior to lining (due to rocky conditions) felt padding will be used.

The reserve pit shall be lined with a plastic liner. A felt liner will also be installed if rock is encountered during pit construction.

8. ANCILLARY FACILITIES

A. No airstrips or camps are planned for this well.

9. WELLSITE LAYOUT

- A. Refer to attached well site plat for related topography cuts and fills and cross sections.
- B. Refer to attached well site plat for rig layout and soil material stockpile location as approved on On-site.
- C. Refer to attached well site plat for rig orientation, parking areas, and access road.

The reserve pit will be located on the Southeast corner of the location. The flare pit will be located downwind of the prevailing wind direction on the South side of the location, a minimum of 100 feet from the well head and 30 feet from the reserve pit fence.

The stockpiled topsoil will be stored between Corners #2 and #8, as well as East of Corner #6.

Access to the well pad will be from the East.

FENCING REQUIREMENTS:

All pits will be fenced according to the following minimum standards:

- A. Thirty-nine inch net wire shall be used with at least one strand of barbed wire on top of the net wire. (Barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence).
- B. The net wire shall be no more than 2 inches above the ground. The barbed wire strand shall be 3 inches above the net wire. Total height of the fence shall be at least 42 inches.
- C. Corner posts shall be cemented and/or braced in such a manner as to keep the fence tight at all times.
- D. Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than 16 feet.
- E. All wire shall be stretched by using a stretching device before it is attached to the corner posts.

The reserve pit fencing will be on the three sides during drilling operations and on the fourth side when the rig moves off the location. Pits will be fenced and maintained until cleanup.

Each existing fence to be crossed by the access road shall be braced and tied off before cutting so as to prevent slacking of the wire. The opening shall be closed temporarily as necessary during construction to prevent the escape of livestock, and, upon completion of construction, the fence shall be repaired to BIA or SMA specifications. A cattleguard with an adjacent 16-foot gate shall be installed in any fence where a road is to be regularly traveled. If the well is a producer, the cattleguards (shall/shall not) be permanently mounted on concrete bases. Prior to crossing any fence located on Tribal land, or any fence between Tribal land and private land, the operator will contact the BIA, who will in turn contact the grazing permittee or owner of said fence and offer him/her the opportunity to be present when the fence is cut in order to satisfy himself/herself that the fence is adequately braced and tied off.

10. PLANS FOR RESTORATION OF SURFACE

A. PRODUCING LOCATION

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, materials, trash, and junk not required for production.

Immediately upon well completion, any hydrocarbons on the pit shall be removed in accordance with CFR 3162.7-1.

If a plastic nylon reinforced liner is used, it shall be torn and perforated before backfilling of the reserve pit.

The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximate natural contours. The reserve pit will be reclaimed within 12 months from the date of well completion. Before any dirt work takes place, the reserve pit will be completely dry and all cans, barrels, pipe, fluid, and hydrocarbons, will be removed.

Contact appropriate surface management agency for required seed mixture.

B. <u>DRY HOLE/ABANDONED LOCATION</u>

At such time as the well is plugged and abandoned, the operator will submit a subsequent report of abandonment and the BIA will attach the appropriate surface rehabilitation conditions of approval.

11. SURFACE OWNERSHIP

Access road: <u>Tribal</u> Location: <u>Tribal</u>

12. OTHER INFORMATION

- A. EOG Resources, Inc. will inform all persons in the area who are associated with this project that they are subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator will immediately stop work that might further disturb such materials, and contact the AO. Within five working days the AO will inform the operator as to:
 - whether the materials appear eligible for the National Register of Historic Places;
 - the mitigation measures the operator will likely have to undertake before the site can be used.
 - a time frame for the AO to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the AO are correct and that mitigation is appropriate.

If the operator wished, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the AO will assume responsibility for whatever recordation and stabilization of the exposed materials that may be required. Otherwise, the operator will be responsible for mitigation costs.

The AO will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the AO that required mitigation has been completed, the operator will then be allowed to resume construction.

- B. As operator, EOG Resources, Inc. will control noxious weeds along Right-of-Ways for roads, pipelines, well sites, or other applicable facilities. A list of noxious weeds will be obtained from the BIA, or the appropriate County Extension Office. On BIA administered land, a Pesticide Use proposal shall be submitted, and given approval, prior to the application of herbicides or other pesticides or possible hazardous chemicals.
- C. The drilling rig and ancillary equipment will be removed from the location prior to commencement of completion operations. Completion operations will be conducted utilizing a completion/workover rig.
- D. Drilling rigs and/or equipment used during drilling operations on this well site will not be stacked or stored on Tribal Lands after the conclusion of drilling operations or at any other time without BIA authorization. However, if BIA authorization is obtained, it is only a temporary measure to allow time to make arrangements for permanent storage on commercial facilities. (The BIA does not seek to compete with private industry. There are commercial facilities available for stacking and storing drilling rigs.)

Additional Surface Stipulations

None

LESSEE'S OR OPERATOR'S REPRESENTATIVE AND CERTIFICATION

PERMITTING AGENT

Ed Trotter P.O. Box 1910

Vernal, UT 84078

Telephone: (435)789-4120

Fax: (435)789-1420

DRILLING OPERATIONS

Donald Presenkowski EOG Resources, Inc.

P.O. Box 250

Big Piney, WY 83113

Telephone: (307)276-4865

All lease or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approval plan of operations, and any applicable Notice to Lessees. EOG Resources, Inc. is fully responsible for the actions of their subcontractors. A copy of these conditions will be furnished to the field representative to insure compliance.

A copy of the approved APD and ROW grant, if applicable, shall be on location during construction of the location and drilling activities.

The BIA office shall be notified upon site completion prior to moving on the drilling rig.

Certification

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions that presently exist; that the statements made in the Plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by EOG Resources, Inc. and its contractors and subcontractors in conformity with this Plan and the terms and conditions under which it is approved.

Please be advised that EOG Resources, Inc. is considered to be the operator of the North Duck Creek 265-26 Well, located in the SW/NW of Section 26, T8S, R21E, Uintah County, Utah; Lease #U-9613; and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond Coverage is provided under Bond #NM 2308.

8-29-2005

Date

Agent La Contact

EOG RESOURCES, INC. N. DUCK CREEK #265-26 SECTION 26, T8S, R21E, S.L.B.&M.

PROCEED IN A WESTERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 14.0 MILES TO THE JUNCTION OF STATE HIGHWAY 88; EXIT LEFT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 17.0 MILES TO OURAY, UTAH; PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 0.3 MILES ON THE SEEP RIDGE ROAD TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST; TURN LEFT AND PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 4.0 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST; PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 4.6 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST; TURN LEFT AND PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 0.1 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTHWEST; TURN LEFT AND PROCEED IN A NORTHWESTERLY DIRECTION APPROXIMATELY 0.2 MILES TO AN EXISTING 2-TRACK TO THE NORTHWEST; PROCEED IN A NORTHWESTERLY, THEN NORTHERLY DIRECTION APPROXIMATELY 0.8 MILES TO THE BEGINNING OF THE PROPOSED ACCESS TO THE WEST; FOLLOW ROAD FLAGS IN A WESTERLY DIRECTION APPROXIMATELY 0.1 MILES TO THE PROPOSED LOCATION.

TOTAL DISTANCE FROM VERNAL, UTAH TO THE PROPOSED WELL LOCATION IS APPROXIMATELY 41.1 MILES.

EOG RESOURCES, INC.

N. DUCK CREEK #265-26 LOCATED IN UINTAH COUNTY, UTAH SECTION 26, T8S, R21E, S.L.B.&M.




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: NORTHERLY




PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

CAMERA ANGLE: WESTERLY



Uintah Engineering & Land Surveying


85 South 200 East Vernal, Utah 84078
435-789-1017 uels@uelsinc.com


LOCATION PHOTOS


06 01 04 month day year


РНОТО


TAKEN BY: D.K. | DRAWN BY: P.M. | REVISED: 00-00-00















APD RECEIVED: 09/14/2005	API NO. ASSIGNED: 43-047-37145
WELL NAME: NDC 265-26 OPERATOR: EOG RESOURCES INC (N9550) CONTACT: ED TROTTER	PHONE NUMBER: 435-789-4120
PROPOSED LOCATION: SWNW 26 080S 210E SURFACE: 2035 FNL 0680 FWL	INSPECT LOCATN BY: / / Tech Review Initials Date
BOTTOM: 2035 FNL 0680 FWL UINTAH NATURAL BUTTES (630) LEASE TYPE: 1 - Federal LEASE NUMBER: U-9613 SURFACE OWNER: 2 - Indian	Engineering Geology Surface
PROPOSED FORMATION: PRRV COALBED METHANE WELL? NO	LATITUDE: 40.09601 LONGITUDE: -109.5275
Plat Bond: Fed[1] Ind[] Sta[] Fee[] (No. NM-2038 Potash (Y/N) Oil Shale 190-5 (B) or 190-3 or 190-13 Water Permit (No. 49-1501 RDCC Review (Y/N) (Date: Other Pee Surf Agreement (Y/N) NAME Intent to Commingle (Y/N)	LOCATION AND SITING: R649-2-3. Unit R649-3-2. General Siting: 460 From Qtr/Qtr & 920' Between Wells R649-3-3. Exception Drilling Unit Board Cause No: 173-14 Eff Date: 1-13-2000. Siting: 440' from Qtr/Qtr & 920' From Qtr/Qtr & 920' From Qtr/Qtr & 920' Between Wells R649-3-11. Directional Drill
STIPULATIONS: 1- Edera Approx	α()





Department of Natural Resources

MICHAEL R. STYLER Executive Director

Division of Oil, Gas & Mining

JOHN R. BAZA Division Director



GARY R. HERBERT Lieutenant Governor

September 19, 2005

EOG Resources, Inc. P O Box 1815 Vernal, UT 84078

Re: North Duck Creek 265-26 Well, 2035' FNL, 680' FWL, SW NW, Sec. 26, T. 8 South, R. 21 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-37145.

Sincerely,

Gil Hunt

Associate Director

pab Enclosures

cc: Uintah County Assessor

Bureau of Land Management, Vernal District Office

Operator:	EOG Resources, Inc.					
Well Name & Number	North Duck Creek 265-26					
API Number:	43-047-3	7145				
Lease:	U-9613					
Location: <u>SW NW</u>	Sec26_	T. 8 South	R. 21 East			

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.

STATE OF UTAH

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this farm for properties to diff now wells, significantly capper exacting walls below current bettom field educt, from the programment of properties to diff now wells, significantly capper exacting walls below current bettom field educt, from the programment of the common of	DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: U-9613			
Do not us ans form for processable to diff new walls, applications of the control included in the control included. We APPLICATION FOR PERMITTO DIAL, from the such processes. 1. TYPE OF WELL OIL WELL OAS WELL OTHER North Duck Creek 265-26 2. MANUE OF OPERATOR EOG RESOURCES, Inc. 3. ADDRESS OF CREMATORS OO 1778 D.S. Bis 1000N OTHER D.S. Bis	SUNDRY NOTICES AND REPORTS ON WELLS	1			
OIL WELL GAS WELL OTHER NAME OF DEPARTOR STATE OF DEPARTOR OF WELL FOOTAGES AT SURFACE 2035 FNL & 680° FWL 40.096056 LAT 109.527319 LON COUNTY: Ulintah OTROITS. SECTION, TOWNSHIP, RANGE, MERIDIAN SWNW 26 8S 21E S UTAH 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION PARTOR OF SUBMISSION REPERFORATE CURSEN FORMATION PRACTICE THEAT SUBTRACT SUBGRIDAR SUBTRACT DEPARTMENT OF SUBMISSION REPERFORATE CURSEN FORMATION PRACTICE THEAT SUBGRIDAR SUBGRIDAR SUBGRIDAR OF SUBMISSION REPERFORATE CURSEN FORMATION PRACTICE THEAT SUBGRIDAR SUBGRIDAR OF SUBMISSION REPERFORATE CURSEN FORMATION PRACTICE THEAT SUBGRIDAR SUBGRIDAR OF SUBMISSION REPERFORATE CURSEN FORMATION PRACTICE THEAT SUBGRIDAR SUBGRIDAR OF SUBMISSION CHANGE TO PREVIOUS PLANS OPERATOR CHANGE SUBGRIDAR SUBGRID	Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:			
EOG Resources, Inc. 3. ADDRESSOF DERAYOR (303) 824-5526 Natural Buttes/Westatch 4. ICACRON OF WELL FOOT 17th St., 51s 1000N STALE CO 26, 80202 (303) 824-5526 Natural Buttes/Westatch OTROTA, 51s 1000N OTROTA, 51s 10s No OTROTA, 51s 10s No OTROTA, 51s 10s 10s 10s 10s 10s 10s 10s 10s 10s 1	1. TYPE OF WELL OIL WELL GAS WELL OTHER	1			
## ADDIZE OF SUBMISSION ACTION OF WELL TYPE OF SUBMISSION					
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2035' FNL & 680' FWL 40.096056 LAT 109.527319 LON COUNTY: Uintah CTROTR, SECTION, TOWNSHIP, PRANGE, MERIDIAN: SWNW 26 8S 21E S STATE: UITAH 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF SUBMISSION TYPE OF ACTION NOTICE OF INTENT Submin in Dublication Approximate date work will start: CHANGE TO PREVIOUS PLANS CHANGE TO PREVIOUS PLANS CHANGE TO PREVIOUS PLANS CHANGE WELL NAME PLUG BAD ADAMADON VENT OR FLARE WATER DISPOSAL WATER DISPOSAL WATER DISPOSAL WATER DISPOSAL WATER SHUT-OFF COMMINISE PRODUCTION CHANTONS RECOMPLETE - DIPPERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all partitional details including dates, depths, volumes, etc. EOG Resources, Inc. requests the APD for the referenced well originally approved 9/19/2005 be extended for one year. Approved by the Utah Division or Oil, Gas and Mining Date: By: ### APP Renewal ### Regulatory Assistant ### TILLE Regulatory Assistant ### Regulatory Assistant ### TILLE ### Regulatory Assistant ### TILLE ### Regulatory Assistant #### TILLE ### Regulatory Assistant #### TILLE ### Regulatory Assistant ### TILLE ### Regulatory Assistant #### TILLE ### Regulatory Assistant	600 17th St. Sto 1000N Domer CO 80202 (203) 824-5526	l ·			
TYPE OF SUBMISSION TYPE OF ACTION ACIDIZE DEEPEN REPERPORATE CURRENT FORMATION SUBTRACK TO REPAIR WELL		соинту: Uintah			
TYPE OF SUBMISSION ACIDIZE	QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SWNW 26 8S 21E S				
ACIDIZE	11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA			
OTTICE OF INTENT (Submit Duplicate) ALTER CASING FRACTURE TREAT SIDETRACK TO REPAIR WELL Approximate date work will start: CASING REPAIR NEW CONSTRUCTION TEMPORARILY ABANDON TEMPORAR	TYPE OF SUBMISSION TYPE OF ACTION				
Approximate date work will start: CASING REPAIR	M NOTICE OF INTENT				
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE TUBING REPAIR					
CHANGE TUBING PLUG AND ABANDON VENT OR FLARE SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: CHANGE WELL STATUS PRODUCTION (START/RESUME) COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE CONVERT WELL TYPE RECOMPLETE- DIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. EOG Resources, Inc. requests the APD for the referenced well originally approved 9/19/2005 be extended for one year. Approved by the Utah Division of Oil, Gas and Mining Date: By: Date: D - O					
SUBSECUENT REPORT (Submit Original Form Only) Data of work completion: CHANGE WELL STATUS PRODUCTION (START/RESUME) COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE CONVERT WELL TYPE RECOMPLETE- DIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. EOG Resources, Inc. requests the APD for the referenced well originally approved 9/19/2005 be extended for one year. Approved by the Utah Division of Oil, Gas and Minning Date: By: Date: D	CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR			
CHANGE WELL STATUS PRODUCTION (START/RESUME) WATER SHUT-OFF COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE OTHER: APD Renewal COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE OTHER: APD Renewal COMMINGLE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. EOG Resources, Inc. requests the APD for the referenced well originally approved 9/19/2005 be extended for one year. Approved by the Utah Division of Oil, Gas and Mining	CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE			
Date of work completion: CHANGE WELL STATUS		WATER DISPOSAL			
COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. EOG Resources, Inc. requests the APD for the referenced well originally approved 9/19/2005 be extended for one year. Approved by the Utah Division of Oil, Gas and Mining Date: Describe Proposed by the Utah Division of Oil, Gas and Mining Date: Describe Proposed by the Utah Division of Oil, Gas and Mining Date: Describe Proposed by the Utah Division of Oil, Gas and Mining Date: Describe Proposed by the Utah Division of Oil, Gas and Mining Date: Describe Proposed by the Utah Division of Oil, Gas and Mining Date: Describe Proposed by the Utah Division of Oil, Gas and Mining Date: Describe Proposed by the Utah Division of Oil, Gas and Mining Date: Describe Proposed by the Utah Division of Oil, Gas and Mining Date: Describe Proposed by the Utah Division of Oil, Gas and Mining Date: Describe Proposed by the Utah Division of Oil, Gas and Mining Date: Describe Proposed by the Utah Division of Oil, Gas and Mining Date: Describe Proposed by the Utah Division of Oil, Gas and Mining Date: Describe Proposed by the Utah Division of Oil, Gas and Mining Date: Describe Proposed by the Utah Division of Oil, Gas and Mining Date: Describe Proposed by the Utah Division of Oil, Gas and Mining Date: Describe Proposed by the Utah Division of Oil, Gas and Mining Date: Describe Proposed by the Utah Division of Oil, Gas and Mining Date: Describe Proposed by the Utah Division of Oil, Gas and Mining Date: Describe Proposed by the Utah Division of Oil, Gas and Mining Date: Describe Proposed by the Utah Division of Oil, Gas and Mining Date: Describe Proposed by the Utah Division of Oil, Gas and Mining Date: Describe Proposed by the Utah Division of Oil, Gas and Mining Date: Describe Proposed by the Utah Division of Oil, Gas and Mining Date: Describe Proposed by the Utah Division of Oil, Gas	CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF			
DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all perfinent details including dates, depths, volumes, etc. EOG Resources, Inc. requests the APD for the referenced well originally approved 9/19/2005 be extended for one year. Approved by the Utah Division of Oil, Gas and Mirring Date: DOSTAR By: 10.10.10.10.10.10.10.10.10.10.10.10.10.1		OTHER: APD Renewal			
Approved by the Utah Division of Oil, Gas and Mining Date: Date: Description Division Divi	CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION				
Date: 10-05 PM By: 10-10-10-10-10-10-10-10-10-10-10-10-10-1					
By: 10·10·04 Regulatory Assistant 10/2/2006	Utah Division of				
10/2/2006	The contraction of the contracti	10.10.04 2m			
10/2/2006	Mary A. Maestas Regulatory Assis	stant			
SIGNATURE DATE DATE TOTAL DATE	10/2/2006				

(This space for State use only)

RECEIVED OCT 0 3 2006

Application for Permit to Drill Request for Permit Extension Validation

(this form should accompany the Sundry Notice requesting permit extension)

	43-047-37145	16E 26			
Location:	North Duck Creek 2 2035 FNL 680 FWL		TION 26, T8S	, R21E S.L.B.	&M
	mit Issued to:			,	
	Permit Issued:				
above, hereby	ed as owner with verifies that the ication to drill, re	information a	as submitted	d in the prev	viously
Following is a verified.	checklist of some	e items relate	ed to the ap	olication, w	hich should be
	rivate land, has t en updated? Yes		o changed, i	if so, has th	ne surface
	s been drilled in siting requireme				ch would affect
Has there bee permitting or o	n any unit or othe peration of this p	er agreemen proposed we	ts put in pla l? Yes⊡No	ce that cou ☑	ld affect the
Have there be of-way, which	en any changes could affect the	to the acces proposed loc	s route inclu ation? Yes[ıding owne⊦ ⊐No ☑	rship, or right-
Has the appro	ved source of wa	ater for drillin	g changed?	Yes□No	Z
Have there be which will requevaluation? Ye	en any physical uire a change in p es⊡No⊠	changes to t plans from w	ne surface lo hat was disc	ocation or a cussed at tl	access route ne onsite
Is bonding still	I in place, which	covers this p	roposed we	ll? Yes⊠N	lo 🗆
Man 10	Marke			10/2/2006	
Signature				Date	•
Title: REGULA	ATORY ASSISTAN	Γ			
Representing:	EOG RESOURCI	ES, INC.			
					RECEIVED
					OCT 0 3 2006

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

	DIVISION OF OIL, GAS AND MI	INING		5. LEASE DESIGNATION AND SERIAL NUMBER: U-9613
Do not use this form for proposals to drill	Y NOTICES AND REPORTS	rrent bottom-hole dept	th, reenter plugged wells, or to	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ute Indian Tribe 7. UNIT OF CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL	laterals. Use APPLICATION FOR PERMIT TO DRILL	form for such proposa	ls.	8. WELL NAME and NUMBER: North Duck Creek 265-26
2. NAME OF OPERATOR: EOG Resources, Inc.				9. API NUMBER: 43-047-37145
3. ADDRESS OF OPERATOR: 1060 East Highway 40	y Vernal STATE UT ZIP	84078	PHONE NUMBER: (435) 781-9111	10. FIELD AND POOL, OR WLDCAT: Natural Buttes/Wasatch
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2035'	FNL & 680' FWL 40.096056 LAT		LON	соимту: Uintah
QTR/QTR, SECTION, TOWNSHIP, RAN		21E S		STATE: UTAH
	ROPRIATE BOXES TO INDICAT			
TYPE OF SUBMISSION			PE OF ACTION	
NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start:	ACIDIZE ALTER CASING CASING REPAIR CHANGE TO PREVIOUS PLANS	DEEPEN FRACTURE NEW CONST OPERATOR	RUCTION	REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON TUBING REPAIR
SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	CHANGE TUBING CHANGE WELL NAME CHANGE WELL STATUS COMMINGLE PRODUCING FORMATIONS CONVERT WELL TYPE	RECLAMATIO	BANDON N (START/RESUME) DN OF WELL SITE E - DIFFERENT FORMATION	 VENT OR FLARE WATER DISPOSAL WATER SHUT-OFF ✓ OTHER: APD Renewal
	DMPLETED OPERATIONS. Clearly show all purests the APD for the referenced Approved by to	well originally he		
	Utah Division Oil, Gas and Mi	ot		
9-28- Rm	Date: 09-27 By:			
NAME (PLEASE PRINT) Kaylene R	. Gardner	TITLE	Lead Regulatory A	Assistant
SIGNATURE TO THE	yands	DATE	9/25/2007	
(This space for State use only)				

RECEIVED SEP 2 7 2007

Application for Permit to Drill Request for Permit Extension Validation (this form should accompany the Sundry Notice requesting permit extension)

API:

43-047-37145

RECEIVED SEP 2 7 2007

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL. GAS AND MINING

DIVISION OF OIL, GAS AND MINING	U-9613
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ute Indian Tribe
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL	WELL NAME and NUMBER:
OIL WELL GAS WELL OTHER	North Duck Creek 265-26
EOG Resources, Inc.	9. API NUMBER: 43-047-37145
3. ADDRESS OF OPERATOR: PHONE NUMBER: 1060 East Highway 40 Vernal UT 84078 (435) 781-9111	10. FIELD AND POOL, OR WILDCAT:
1060 East Highway 40 Vernal UT 84078 (435) 781-9111	Natural Buttes/Wasatch
FOOTAGES AT SURFACE: 2035' FNL & 680' FWL 40.096056 LAT 109.527319 LON	COUNTY: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SWNW 26 8S 21E S	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTION	
NOTICE OF INTENT (Submit in Duplicate) ACIDIZE DEEPEN DEEPEN FRACTURE TREAT	REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	SIDETRACK TO REPAIR WELL
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TEMPORARILY ABANDON
CHANGE TUBING PLUG AND ABANDON	TUBING REPAIR VENT OR FLARE
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK	WATER DISPOSAL
(Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF
Date of work completion: COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	✓ other: APD Renewal
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume	s, etc.
EOG Resources, Inc. requests the APD for the referenced well originally approved 9/19/2005	5 be extended for one year.
Approved by the Utah Division of Oil, Gas and Mining Date: By:	
NAME (PLEASE PRINT) Mickenzie Thacker TITLE Operations Clerk	
SIGNATURE WILLIAM DATE 9/30/2008	-
This space for State use only)	
COPY SENT TO OPERATOR	RECEIVED

(5/2000)

(See Instructions on Reverse Side)

OCT 0 2 2008

DIV. OF OIL, GAS & MINING

Application for Permit to Drill Request for Permit Extension Validation

Validation (this form should accompany the Sundry Notice requesting permit extension)

API:

43-047-37145

Well Name: North Duck Creek 265-26 Location: 2035 FNL 680 FWL (SWNW), SECTION 26, T8S, R21E S.L.B.&M Company Permit Issued to: EOG RESOURCES, INC. Date Original Permit Issued: 9/19/2005				
The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.				
Following is a checklist of some items related to the application, which should be verified.				
If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes□No□				
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes□ No ☑				
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□No☑				
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes□No ☑				
Has the approved source of water for drilling changed? Yes□No☑				
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑				
Is bonding still in place, which covers this proposed well? Yes ☑ No ☐				
Michenie Tracker)				
Signature Date				
Title: Operations Clerk				
Representing: EOG Resources, Inc.				

RECEIVED
OCT 0 2 2008

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: U-9613
	RY NOTICES AND REPORTS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE
	sals to drill new wells, significantly deepen ıgged wells, or to drill horizontal laterals. U		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NDC 265-26
2. NAME OF OPERATOR: EOG Resources, Inc.			9. API NUMBER: 43047371450000
3. ADDRESS OF OPERATOR: 1060 East Highway 40 , Verna	al, UT, 84078 435 781-91	PHONE NUMBER: 11 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2035 FNL 0680 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: SWNW Section: 26	P, RANGE, MERIDIAN: 5 Township: 08.0S Range: 21.0E Meridian:	: S	STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	☐ ACIDIZE	ALTER CASING	☐ CASING REPAIR
Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS	CHANGE TUBING	☐ CHANGE WELL NAME
10/9/2009	☐ CHANGE WELL STATUS	$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	CONVERT WELL TYPE
☐ SUBSEQUENT REPORT	☐ DEEPEN	☐ FRACTURE TREAT	☐ NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	☐ PLUG BACK
	☐ PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	☐ REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	☐ TUBING REPAIR	☐ VENT OR FLARE	WATER DISPOSAL
☐ DRILLING REPORT	☐ WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	☐ WILDCAT WELL DETERMINATION	OTHER	OTHER:
	MPLETED OPERATIONS. Clearly show all per		
EOG Resources, Inc.	respectfully requests the APD extended for one year.	Tor the referenced wen be	Approved by the
	extended for one year.		Utah Division of
			Oil, Gas and Mining
			October 12, 2009
			October 12, 2009
		E	By: Dalyfill
NAME (PLEASE PRINT)	PHONE NUMBER		
Mickenzie Gates	435 781-9145	Operations Clerk	
SIGNATURE N/A		DATE 10/9/2009	



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047371450000

API: 43047371450000 **Well Name:** NDC 265-26

Location: 2035 FNL 0680 FWL QTR SWNW SEC 26 TWNP 080S RNG 210E MER S

Company Permit Issued to: EOG RESOURCES, INC.

Date Original Permit Issued: 9/19/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

require revi	sion. Following is a chec	klist of some ite	ms related to the	application, wh	nich should be verified.
	ated on private land, has ed? 📗 Yes 🌘 No	the ownership	changed, if so, h	as the surface a	greement been
	any wells been drilled in requirements for this lo			l which would a	ffect the spacing or
	here been any unit or other s proposed well?		put in place that	could affect the	permitting or operation
	there been any changes the proposed location?		_	nership, or righ	tof- way, which could
• Has tl	he approved source of w	ater for drilling	changed? 🔘 Y	es 📵 No	
	there been any physical je in plans from what wa				
• Is boı	nding still in place, which	n covers this pro	posed well? 🌘	Yes 📗 No U	pproved by the tah Division of Gas and Mining
Signature:	Mickenzie Gates	Date: 10/9/200	9		
Title:	Operations Clerk Represe	enting: EOG RES	OURCES, INC.		October 12, 2009
				D.	00 cal 110

			FORM 9		
	STATE OF UTAH		101113		
	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	G	5.LEASE DESIGNATION AND SERIAL NUMBER: U-9613		
SUNDRY NOTICES AND REPORTS ON WELLS 6. IF INDIAN, ALLOTTEE OR TRIBE UTE					
	sals to drill new wells, significantly deepen exis ugged wells, or to drill horizontal laterals. Use A		7.UNIT or CA AGREEMENT NAME:		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NDC 265-26		
2. NAME OF OPERATOR: EOG Resources, Inc.			9. API NUMBER: 43047371450000		
3. ADDRESS OF OPERATOR: 1060 East Highway 40 , Verna	PHONE N al, UT, 84078 435 781-9111 E		9. FIELD and POOL or WILDCAT: NATURAL BUTTES		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2035 FNL 0680 FWL			COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: SWNW Section: 26	IP, RANGE, MERIDIAN: 6 Township: 08.0S Range: 21.0E Meridian: S		STATE: UTAH		
11. CHE	CK APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPORT,	OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	☐ ACIDIZE ☐	ALTER CASING	☐ CASING REPAIR		
NOTICE OF INTENT Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS	CHANGE TUBING	☐ CHANGE WELL NAME		
8/26/2010	☐ CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION		
Date of Work Completion:	☐ OPERATOR CHANGE ☐	PLUG AND ABANDON	☐ PLUG BACK		
		RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
SPUD REPORT Date of Spud:		SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON		
		VENT OR FLARE	☐ WATER DISPOSAL		
DRILLING REPORT		SI TA STATUS EXTENSION	✓ APD EXTENSION		
Report Date:	_	OTHER			
			OTHER:		
	OMPLETED OPERATIONS. Clearly show all pertined respectfully requests the APD fo				
LOG Resources, Inc.	extended for one year.	i the referenced well be	Approved by the		
	extended for one year.		Utah Division of		
			Oil, Gas and Mining		
		Da	ate: August 31, 2010		
		D	LOQUINI		
		D ₁	y. The state of th		
NAME (PLEASE PRINT) Michelle Robles	PHONE NUMBER	TITLE Pogulatory Assistant			
	307 276-4842	Regulatory Assistant			
SIGNATURE N/A		DATE 8/26/2010			



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047371450000

API: 43047371450000 **Well Name:** NDC 265-26

Location: 2035 FNL 0680 FWL QTR SWNW SEC 26 TWNP 080S RNG 210E MER S

Company Permit Issued to: EOG RESOURCES, INC.

Date Original Permit Issued: 9/19/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

require revi	sion. Following is a che	cklist of some items i	elated to the appli	ication, which should be verified.
	ated on private land, ha ed? 📗 Yes 🌘 No	s the ownership char	nged, if so, has the	surface agreement been
	any wells been drilled in requirements for this lo			h would affect the spacing or
	here been any unit or ot s proposed well?		in place that could	affect the permitting or operation
	there been any changes the proposed location?		including ownersh	ip, or rightof- way, which could
• Has th	he approved source of v	vater for drilling char	ıged? 🔵 Yes 🍺	No
	there been any physica je in plans from what w			ess route which will require a
• Is bor	nding still in place, whic	h covers this propos	ed well? 🌘 Yes	Approved by the No Utah Division of Oil, Gas and Mining
Signature:	Michelle Robles	Date: 8/26/2010)	
Title:	Regulatory Assistant Rep	resenting: EOG RESC	OURCES, INC.	Date: August 31, 2010
	•	_		By July 1

Sundry Number: 18420 API Well Number: 43047371450000

	STATE OF UTAH DEPARTMENT OF NATURAL RESOURG	^FS			FORM 9
	DIVISION OF OIL, GAS, AND MI		3	5.LEA 9	SE DESIGNATION AND SERIAL NUMBER:
	RY NOTICES AND REPORTS			6. IF I	NDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.					T or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well					LL NAME and NUMBER: 265-26
2. NAME OF OPERATOR: EOG Resources, Inc.					NUMBER: 7371450000
3. ADDRESS OF OPERATOR: 1060 East Highway 40 , Verna			UMBER: xt		LD and POOL or WILDCAT: IRAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2035 FNL 0680 FWL				COUN	
QTR/QTR, SECTION, TOWNSHI	IP, RANGE, MERIDIAN: 5 Township: 08.0S Range: 21.0E Meridiar	n: S		STATE	
11. CHE	CK APPROPRIATE BOXES TO INDICA	ATE NA	ATURE OF NOTICE, REPOR	T, OR 01	HER DATA
TYPE OF SUBMISSION			TYPE OF ACTION		
	☐ ACIDIZE		ALTER CASING		CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS		CHANGE TUBING		CHANGE WELL NAME
9/12/2011	☐ CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATION	s [CONVERT WELL TYPE
SUBSEQUENT REPORT	☐ DEEPEN		FRACTURE TREAT		NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE		PLUG AND ABANDON		PLUG BACK
	☐ PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE		RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	☐ REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL		TEMPORARY ABANDON
	☐ TUBING REPAIR		VENT OR FLARE		WATER DISPOSAL
☐ DRILLING REPORT	☐ WATER SHUTOFF		SI TA STATUS EXTENSION	J	APD EXTENSION
Report Date:	□ WILDCAT WELL DETERMINATION		OTHER	от	HER:
12 DESCRIBE PROPOSED OF CO	MPLETED OPERATIONS. Clearly show all pe		-		
	respectfully requests the AP			-	, etc.
•	extended for one year				
					Approved by the Utah Division of
					il, Gas and Mining
				Date:	09/14/2011
				- F	. nozail VV
				ву: <u> л</u>	Dog Aller
NAME (PLEASE PRINT)	PHONE NUMBER	₹	TITLE		
Michelle Robles	307 276-4842		Regulatory Assistant		
SIGNATURE N/A			DATE 9/12/2011		

Sundry Number: 18420 API Well Number: 43047371450000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047371450000

API: 43047371450000 Well Name: NDC 265-26

Location: 2035 FNL 0680 FWL QTR SWNW SEC 26 TWNP 080S RNG 210E MER S

Company Permit Issued to: EOG RESOURCES, INC.

Date Original Permit Issued: 9/19/2005

Signature: Michelle Robles

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

 If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
 Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
 Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? 🔵 Yes 📵 No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No

Date: 9/12/2011

Title: Regulatory Assistant **Representing:** EOG RESOURCES, INC.

Sundry Number: 28912 API Well Number: 43047371450000

	STATE OF UTAH		FORM 9
ı	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	3	5.LEASE DESIGNATION AND SERIAL NUMBER: U-9613
SUNDR	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE	
	posals to drill new wells, significantly deep reenter plugged wells, or to drill horizontal n for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NDC 265-26
2. NAME OF OPERATOR: EOG Resources, Inc.			9. API NUMBER: 43047371450000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000		DNE NUMBER: 35 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2035 FNL 0680 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNW Section:	HP, RANGE, MERIDIAN: 26 Township: 08.0S Range: 21.0E Meridian:	: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS DEEPEN OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPAIR WATER SHUTOFF	O for the referenced	CASING REPAIR CHANGE WELL NAME CONVERT WELL TYPE NEW CONSTRUCTION PLUG BACK RECOMPLETE DIFFERENT FORMATION TEMPORARY ABANDON WATER DISPOSAL ✓ APD EXTENSION OTHER: Pepths, volumes, etc. Approved by the Utah Division of Oil, Gas and Mining Date: August 28, 2012 By:
NAME (PLEASE PRINT) Vail Nazzaro	PHONE NUMBER 303 824-5590	TITLE Sr. Regulatory Assistant	
SIGNATURE N/A		DATE 8/14/2012	

Sundry Number: 28912 API Well Number: 43047371450000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Title: Sr. Regulatory Assistant Representing: EOG RESOURCES, INC.

Request for Permit Extension Validation Well Number 43047371450000

API: 43047371450000 **Well Name:** NDC 265-26

Location: 2035 FNL 0680 FWL QTR SWNW SEC 26 TWNP 080S RNG 210E MER S

Company Permit Issued to: EOG RESOURCES, INC.

Date Original Permit Issued: 9/19/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

	cated on private land, has the ov	wnership changed, if so, ha	s the surface agreement been updated? 🔵
	e any wells been drilled in the virgenments for this location?		I which would affect the spacing or siting
	there been any unit or other ag osed well? 🔵 Yes 📵 No	reements put in place that o	could affect the permitting or operation of this
		access route including ow No	nership, or rightof- way, which could affect the
• Has	the approved source of water fo	or drilling changed? 🔵 Y	es 📵 No
	there been any physical chang s from what was discussed at th		or access route which will require a change in Yes No
• Is bo	onding still in place, which cove	rs this proposed well? 🌘	Yes 🔘 No
Signature:	Vail Nazzaro	Date: 8/14/2012	

Form 3160-3 (August 2007)

la. Type of work:

RECEIVED

SEP 1 3 2005

FORM APPROVED OMB No. 1004-0137 Expires July 31, 2010

5. Lease Serial No.

UNITED STATES	
DEPARTMENT OF THE INTERIOR	
BUREAU OF LAND MANAGEMENT	ſ

	EAU OF LAND MAN FOR PERMIT TO	UTU-9613 6. If Indian, Allotee or Tribe Name UTE INDIAN TRIBE	
✓ DRILL	REENTE	R	7 If Unit or CA Agreement, Name and No.
Oil Well 🔽 🗸	Gas Well Other	Single Zone Wukink Zone	8. Lease Name and Well No.

lb. Type of Well: Oil Well Gas Well Other	Single Zone Multi	ple Zone	NORTH DUCK CREEK 20	
2. Name of Operator EOG Resources, Inc.			9. API Well No.	37145
	3b. Phone No. (include area code) 435-781-9111		10. Field and Pool, or Explorate NATURAL BUTTES	ory
 Location of Well (Report location clearly and in accordance with any At surface 2035' FNL, 680' FWL (SWNW) 40.096056 LA' At proposed prod. zone SAME 		11. Sec., T. R. M. or Blk. and S SEC 26, T8S, R21E, S.L.I	•	
 Distance in miles and direction from nearest town or post office* 41.1 MILES FROM VERNAL 			12. County or Parish UINTAH	13. State
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any)	16. No. of acres in lease 1920	17. Spacin 40	g Unit dedicated to this well	
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft.	19. Proposed Depth 11170'	20. BLM/E NM2308	BIA Bond No. on file	
21. Elevations (Show whether DF, KDB, RT, GL, etc.)	22 Approximate date work will star	rt*	23. Estimated duration	FIVED

24. Attachments The following, completed in accordance with the requirements of Onshore Oil and Gas Order No.1, must be attached to this form:

DIV. OF OIL, GAS & MINING Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).

45 DAYS

1. Well plat certified by a registered surveyor. 2. A Drilling Plan.

4800' NAT GL

3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO must be filed with the appropriate Forest Service Office).

Operator certification

Such other site specific information and/or plans as may be required by the

25. Signature Name (Printed/Typed) Kaylene Gardner 08/29/2005 Regulatory Administrator

Approved by (Signature)

Name (Printed/Typed)

Jerry Kenczka

JAN 2 5 2013

FEB 1 3 2013

Assistant Field Manager Lands & Mineral Resources Office

VERNAL FIELD OFFICE

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on page 2)

*(Instructions on page 2)



NOTICE OF APPROVAL CONDITIONS OF APPROVAL ATTACHED

NOS Paid 7 /00/-



UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT VERNAL FIELD OFFICE

VERNAL, UT 84078

(435) 781-4400



CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company:	EOG Resources Inc.	Location:	SWNW, Sec.26,T8S R21E	
	North Duck Creek 265-26	Lease No:	UTU-9613	
API No:	43-047-37145	Agreement:	N/A	

OFFICE NUMBER:

(435) 781-4400

OFFICE FAX NUMBER:

(435) 781-3420

A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR FIELD REPRESENTATIVE TO INSURE COMPLIANCE

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.

NOTIFICATION REQUIREMENTS

Construction Activity (Notify Ute Tribe Energy & Minerals Dept. and BLM Environmental Scientist)	-	The Ute Tribe Energy & Minerals Dept. and BLM Environmental Scientist shall be notified at least 48 hours in advance of any construction activity. The Ute Tribal office is open Monday through Thursday.
Construction Completion (Notify Ute Tribe Energy & Minerals Dept. and BLM Environmental Scientist)	-	Upon completion of the pertinent APD/ROW construction, notify the Ute Tribe Energy & Minerals Dept. for a Tribal Technician to verify the Affidavit of Completion. Notify the BLM Environmental Scientist prior to moving on the drilling rig.
Spud Notice (Notify BLM Petroleum Engineer)	~	Twenty-Four (24) hours prior to spudding the well.
Casing String & Cementing (Notify BLM Supv. Petroleum Tech.)	-	Twenty-Four (24) hours prior to running casing and cementing all casing strings to: blm.ut_vn_opreport@blm.gov
BOP & Related Equipment Tests (Notify BLM Supv. Petroleum Tech.)	-	Twenty-Four (24) hours prior to initiating pressure tests.
First Production Notice (Notify BLM Petroleum Engineer)	-	Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

SURFACE USE PROGRAM CONDITIONS OF APPROVAL (COAs)

- All new and replacement internal combustion gas field engines of less than or equal to 300 design-rated horsepower must not emit more than 2 gms of NO_x per horsepower-hour. This requirement does not apply to gas field engines of less than or equal to 40 design-rated horsepower.
- All and replacement internal combustion gas field engines of greater than 300 design rated horsepower must not emit more than 1.0 gms of NO_x per horsepower-hour.

SITE SPECIFIC COA's

- Paint facilities "Shadow Gray".
- In accordance with the guidelines specified in the Guidelines for Raptor Protection from Human and Land Use Disturbances, conduct a raptor survey prior to construction operation if such activities would take place during raptor nesting season (January 1 through September 30). If active raptor nests are identified during the survey, operations should be conducted according to the seasonal restriction detailed in the Uinta Basin-specific RMP guidelines and spatial offsets specified by the USFWS Utah Raptor Guidelines.
- Prior to construction operations, conduct a biological survey to determine the presence of the Uinta Basin hookless cactus in accordance with the guidelines specified in the USFWS Rare Plant Conservation Measures for Uinta Basin hookless cactus in consideration of the 300-foot offset specified in the BLM RMP ROD.

BIA Standard Conditions of Approval

Land and Water Resources

- Soil erosion will be mitigated by reseeding all disturbed areas.
- The gathering pipelines will be constructed to lie on the surface. The surface pipelines will not be bladed of cleared of vegetation. Where pipelines are constructed parallel to roads they may be welded on the road and then lifted from the road onto the right-of-way. Where pipelines do not parallel roads but cross-country between sites, they shall be welded in place at well sites or on the access roads and then pulled between stations with a suitable piece of equipment. Traffic will be restricted along these areas so that the pipeline right-of-way will not be used as an access road.
- A closed-loop drilling system shall be used on all location as recommended by the Ute Tribe Technician, the BIA, and other agencies involved.
- A closed production system shall be used. The means all produced water and oil field fluid wastes shall be contained in leak-proof tanks. These fluids shall be disposed of in either approved injection wells of disposal pits.
- Major low water crossings will be armored with pit run material to protect them from erosion.

Page 3 of 7 Well: North Duck Creek 265-26 1/22/2013

- All personnel should refrain from collecting any paleontological fossils and from disturbing any fossil resources in the area.
- If fossils are exposed or identified during construction, all construction must cease and immediate notification to the Energy and Minerals Department and the Cultural Rights Protection Officer.

Living Resources

- Before the site is abandoned the company will be required to restore the leased area and/or right-of-way to near its original state. The disturbed area will be reseeded with desirable perennial vegetation. If necessary, the BIA will provide and suitable seed mixture.
- Noxious weeds will be controlled on all surface disturbances within the project area. If noxious
 weeds spread from the project area onto adjoining land, the company will also be responsible
 for their control.

Cultural Resources

- All personnel should refrain from collecting artifacts and from disturbing any significant cultural resources in the area.
- If artifacts or any culturally sensitive materials area exposed or identified during construction, all
 construction must cease and immediate notification to the Energy and Minerals Department and
 the Cultural Rights Protection Officer.

Page 4 of 7 Well: North Duck Creek 265-26 1/22/2013

DOWNHOLE PROGRAM CONDITIONS OF APPROVAL (COAs)

SITE SPECIFIC DOWNHOLE COAs:

- Electronic/mechanical mud monitoring equipment shall be required, from surface casing shoe to TD, which shall include as a minimum: pit volume totalizer (PTV); stroke counter; and flow sensor.
- Production casing cement shall be brought up and into the surface casing. The minimum cement tip is 200 ft. above the surface casing shoe.
- Surface casing cement shall be brought to surface.
 For Surface casing cement program, to reach surface with Top of Cement, operator will pump additional cement in Top Out Stage.
 Program cement for surface casing does 'not' include excess overage for cement pumped.

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- All requirements listed in Onshore Order #2 III. E. Special Drilling Operations are applicable for air drilling of surface hole.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the
 daily drilling report. Components shall be operated and tested as required by Onshore Oil &
 Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests shall be
 performed by a test pump with a chart recorder and NOT by the rig pumps. Test shall be
 reported in the driller's log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- Cement baskets shall not be run on surface casing.

Page 5 of 7 Well: North Duck Creek 265-26 1/22/2013

The operator must report all shows of water or water-bearing sands to the BLM. If flowing water
is encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM
Vernal Field Office.

- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth (from KB or GL) of encounter, vertical footage of the encounter and, the name of the person making the report (along with a telephone number) should the BLM need to obtain additional information.
- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.
- While actively drilling, chronologic drilling progress reports shall be filed directly with the BLM, Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the <u>top of cement</u> and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- Please submit an electronic copy of all other logs run on this well in LAS format to UT_VN_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM.
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

Page 6 of 7 Well: North Duck Creek 265-26 1/22/2013

OPERATING REQUIREMENT REMINDERS:

- All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.
- For information regarding production reporting, contact the Office of Natural Resources Revenue (ONRR) at www.ONRR.gov.
- Should the well be successfully completed for production, the BLM Vernal Field office must be
 notified when it is placed in a producing status. Such notification will be by written
 communication and must be received in this office by not later than the fifth business day
 following the date on which the well is placed on production. The notification shall provide, as a
 minimum, the following informational items:
 - o Operator name, address, and telephone number.
 - o Well name and number.
 - o Well location (1/4/4, Sec., Twn, Rng, and P.M.).
 - Date well was placed in a producing status (date of first production for which royalty will be paid).
 - The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
 - The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
 - o Unit agreement and/or participating area name and number, if applicable.
 - o Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if

Page 7 of 7 Well: North Duck Creek 265-26 1/22/2013

performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field
 Office Petroleum Engineers will be provided with a date and time for the initial meter calibration
 and all future meter proving schedules. A copy of the meter calibration reports shall be
 submitted to the BLM Vernal Field Office. All measurement facilities will conform to the API
 standards for liquid hydrocarbons and the AGA standards for natural gas measurement. All
 measurement points shall be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted
 to the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs
 first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be
 adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively
 sealed in accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover
 equipment shall be removed from a well to be placed in a suspended status without prior
 approval of the BLM Vernal Field Office. If operations are to be suspended for more than 30
 days, prior approval of the BLM Vernal Field Office shall be obtained and notification given
 before resumption of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.

Sundry Number: 41856 API Well Number: 43047371450000

	STATE OF UTAH	FORM 9	
	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		5.LEASE DESIGNATION AND SERIAL NUMBER: U-9613
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		7.UNIT or CA AGREEMENT NAME:	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NDC 265-26
2. NAME OF OPERATOR: EOG Resources, Inc.			9. API NUMBER: 43047371450000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	0 N , Denver, CO, 80202	PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2035 FNL 0680 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SWNW Section: 26 Township: 08.0S Range: 21.0E Meridian: S		idian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
8/29/2013	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR		
		☐ VENT OR FLARE ☐	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
I .	completed operations. Clearly show not respectfully requests the well be extended for one y	APD for the referenced	depths, volumes, etc. Approved by the Utah Division of Oil, Gas and Mining
			Date: September 12, 2013
			By: Boogylll
NAME (PLEASE PRINT) Vail Nazzaro	PHONE NUME 303 824-5590	BER TITLE Sr. Regulatory Assistant	
SIGNATURE	JUJ UZ4-JJJU	DATE	
N/A		8/29/2013	

Sundry Number: 41856 API Well Number: 43047371450000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047371450000

API: 43047371450000 **Well Name:** NDC 265-26

Location: 2035 FNL 0680 FWL QTR SWNW SEC 26 TWNP 080S RNG 210E MER S

Company Permit Issued to: EOG RESOURCES, INC.

Date Original Permit Issued: 9/19/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? Yes No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No
Potos 0/00/0040

Signature: Vail Nazzaro Date: 8/29/2013

Title: Sr. Regulatory Assistant Representing: EOG RESOURCES, INC.

Sundry Number: 55198 API Well Number: 43047371450000

			1
STATE OF UTAH			FORM 9
	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		5.LEASE DESIGNATION AND SERIAL NUMBER: U-9613
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		7.UNIT or CA AGREEMENT NAME:	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NDC 265-26
2. NAME OF OPERATOR: EOG RESOURCES, INC.			9. API NUMBER: 43047371450000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 100	0 N , Denver, CO, 80202	PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2035 FNL 0680 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SWNW Section: 26 Township: 08.0S Range: 21.0E Meridian: S		dian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
,	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
9/4/2014	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12 DESCRIPE PROPOSED OR	COMPLETED OPERATIONS. Clearly show a	all portinent details including detay	dontho volumes etc
I .	nc. respectfully requests the		Approved by the
ĺ	well be extended for one ye		USeptember 04,f2014 Oil, Gas and Mining
			Date:
			By: Basyll
NAME (PLEASE PRINT) Donna J Skinner	PHONE NUMB 303 262-9467	ER TITLE Sr. Regulatory Assistant	
SIGNATURE	000 202 0401	DATE	
N/A		9/4/2014	

Sundry Number: 55198 API Well Number: 43047371450000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047371450000

API: 43047371450000 Well Name: NDC 265-26

Location: 2035 FNL 0680 FWL QTR SWNW SEC 26 TWNP 080S RNG 210E MER S

Company Permit Issued to: EOG RESOURCES, INC.

Date Original Permit Issued: 9/19/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? (Yes (No
• Has the approved source of water for drilling changed? Yes No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No
nature: Donna J Skinner Date: 9/4/2014

Sig

Title: Sr. Regulatory Assistant Representing: EOG RESOURCES, INC.

Sundry Number: 65322 API Well Number: 43047371450000

	STATE OF UTAH			FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		5.LEASE DESIGNATION AND SERIAL NUMBER: U-9613		
SUNDRY NOTICES AND REPORTS ON WELLS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE		
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		7.UNIT or CA AGREEMENT NAME:		
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: NDC 265-26
2. NAME OF OPERATOR: EOG RESOURCES, INC.			9. API NUMBER: 43047371450000	
3. ADDRESS OF OPERATOR: 1060 East Highway 40, Ve	rnal, UT, 84078 43		NE NUMBER: 111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2035 FNL 0680 FWL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SWNW Section: 26 Township: 08.0S Range: 21.0E Meridian: S		S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDIC	CATE NA	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
7	ACIDIZE	A	LTER CASING	CASING REPAIR
Approximate date work will start:	CHANGE TO PREVIOUS PLANS		HANGE TUBING	CHANGE WELL NAME
8/5/2015	CHANGE WELL STATUS		OMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	□ F	RACTURE TREAT	NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	P	LUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	□ R	ECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	□s	IDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	Uv	ENT OR FLARE	WATER DISPOSAL
DRILLING REPORT	WATER SHUTOFF	□s	I TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	WILDCAT WELL DETERMINATION		THER	OTHER:
12. DESCRIBE PROPOSED OR		ow all nei	tinent details including dates.	lenths, volumes, etc.
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. EOG Resources, Inc. respectfully requests the APD for the referenced well be extended for one year. Well be extended for one year. Oil, Gas and Mining				
				Date
				By: Daggill
				70
NAME (DI EACE DOINT)	BUONE NO	MDED	TITI E	
NAME (PLEASE PRINT) Kaylene Gardner	PHONE NU 435 781-9111	WBEK	TITLE Regulatory Administrator	
SIGNATURE N/A			DATE 8/5/2015	

Sundry Number: 65322 API Well Number: 43047371450000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047371450000

API: 43047371450000 Well Name: NDC 265-26

Location: 2035 FNL 0680 FWL QTR SWNW SEC 26 TWNP 080S RNG 210E MER S

Company Permit Issued to: EOG RESOURCES, INC.

Date Original Permit Issued: 9/19/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? (Yes (No
• Has the approved source of water for drilling changed? Yes No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No
nature: Kaylene Gardner Date: 8/5/2015

Sig

Title: Regulatory Administrator Representing: EOG RESOURCES, INC.

Sundry Number: 73142 API Well Number: 43047371450000

	STATE OF UTAH	FORM 9	
	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		5.LEASE DESIGNATION AND SERIAL NUMBER: U-9613
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		7.UNIT or CA AGREEMENT NAME:	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NDC 265-26
2. NAME OF OPERATOR: EOG RESOURCES, INC.			9. API NUMBER: 43047371450000
3. ADDRESS OF OPERATOR: 600 17th Street Ste 1000N		PHONE NUMBER: 85 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2035 FNL 0680 FWL		COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SWNW Section: 26 Township: 08.0S Range: 21.0E Meridian: S		an: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
7	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
7/14/2016	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN [FRACTURE TREAT	NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12. DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show all	pertinent details including dates, o	depths, volumes, etc.
EOG Resources, In	nc. respectfully requests the A		Approved by the
	well be extended for one year	ır.	Utally \$8\tilde{20160f} Oil, Gas and Mining
			Date:
			By: Doggill
NAME (PLEASE PRINT) Kristen Sheehan	PHONE NUMBE 303 262-9931	R TITLE Assistant Regulatory	
SIGNATURE	333 232 3331	DATE	
N/A		7/14/2016	

Sundry Number: 73142 API Well Number: 43047371450000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047371450000

API: 43047371450000 Well Name: NDC 265-26

Location: 2035 FNL 0680 FWL QTR SWNW SEC 26 TWNP 080S RNG 210E MER S

Company Permit Issued to: EOG RESOURCES, INC.

Date Original Permit Issued: 9/19/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

The second of the second secon
• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
 Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
 Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? Yes No
• Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No
nature: Kristen Sheehan Date: 7/14/2016

Sig

Title: Assistant Regulatory Representing: EOG RESOURCES, INC.